

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

January 2024 to December 2024

Sl. No.	Particulars	
1.	Particulars of the Occupier	:
	(i) Name of the authorised person (occupier or operator of facility)	<i>Anujit Swi</i>
	(ii) Name of HCF or CBMWTF	<i>Mrs Anjali Nursing home</i>
	(iii) Address for Correspondence	<i>216 (P) 2 Chandi Nagar</i>
	(iv) Address of Facility	<i>01796016372</i>
	(v) Tel. No, Fax. No	<i>Anujit Swi 050@gmail.com</i>
	(vi) E-mail ID	<i>WWW. Anjali Nursing home.com</i>
	(vii) URL of Website	
	(viii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF	<i>(State Government or Private or Semi Govt. or any other) Private</i>
(x) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	<i>Authorisation No.: CCTAD/100 valid up to Oct 2022</i>	
(xi) Status of Consents under Water Act and Air Act	<i>Valid up to: Oct - 2024</i>	
2.	Type of Health Care Facility	:
	(i) Bedded Hospital	<i>No. of Beds: 10</i>
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	<i>Nursing home</i>
(iii) License number and its date of expiry		
3.	Details of CBMWTF	:
	(i) Number healthcare facilities covered by CBMWTF	
	(ii) No of beds covered by CBMWTF	
	(iii) Installed treatment and disposal capacity of CBMWTF:	<i>_____ Kg per day</i>

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : <u>Nil</u> Red Category : <u>11.838</u> White: <u>Nil</u> Blue Category : <u>Nil</u> General Solid waste:
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
	(i) Details of the on-site storage facility	Size :	Capacity :
	(ii) Details of the treatment or disposal facilities	Type of treatment equipment	No Cap Quantity of acit treated unit y r s Kg/ disposed day in kg per annum
		Incinerators	<u>NO</u>
		Plasma Pyrolysis	<u>NO</u>
		Autoclaves	<u>yes</u>
		Microwave	<u>yes</u>
		Hydroclave	
		Shredder	
		Needle tip cutter or destroyer	<u>2</u>
		Sharps	<u>1</u>
		encapsulation or concrete pit	<u>yes</u>
		Deep burial pits:	<u>yes</u>
		Chemical disinfection:	
		Any other treatment equipment:	<u>yes</u>
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc.)	<u>11.838</u>
	(iv) No of vehicles used for collection and transportation of biomedical waste	1	
	(v) Details of incineration ash and ETP sludge generated and disposed	Quantity generated	Where disposed

	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	ANHOL Health Care facility
	(vii) List of member HCF not handed over bio-medical waste.	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	NO
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	Yes
	(ii) number of personnel trained	1
	(iii) number of personnel trained at the time of induction	1
	(iv) number of personnel not undergone any training so far	Nil
	(v) whether standard manual for training is available?	NO
	(vi) any other information)	
8	Details of the accident occurred during the year	NO
	(i) Number of Accidents occurred	NO
	(ii) Number of the persons affected	NO
	(iii) Remedial Action taken (Please attach details if any)	NO
	(iv) Any Fatality occurred, details.	NO
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	—
	Details of Continuous online emission monitoring systems installed	—
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	—
11	Is the disinfection method or sterilization meeting the log 4	Nil

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

..... January 2024 - to December 2024

Date: → 17/1/24
Place Jammu

A.V. Nursing Home
Name and Signature of the Head of the Institution

Chandni Mittal


Chandni Mittal